Cumulative Author-Title Index

For: Vol. 1, Nos. 1, 2, 3, 4 (1979-1980)
Vol. 2, Nos. 1, 2, 3, 4 (1981-1982)

Abstracts of Heat Treating Literature—1980 ..... 2(2) 150–203
Abstracts of Heat Treating Literature—1981 ..... 2(3) 250–214
Abstracts of Heat Treating Literature, January–August, 1982 ..... 2(4) 375–422

Analytical Approach for Establishing Case Depth Requirements in Carburized Gears, An: Sharma, A. K., Walter, G. H., and Breen, D. H. ..... 1(1) 48–57
Anctil, A. A.: Fracture Toughness and Fatigue Properties of VASCO X-2 Steel Gear Materials ..... 2(4) 331–336
Annealing of Cold-Rolled Rephosphorized Steels Containing Si and Cb: Pradhan, R. R. ..... 2(1) 73–82
Applicability of Hardenability Concepts in Heat Treatment of Steels: Doane, D. ..... 1(1) 5–30
Applications of Fluidized Bed Furnaces for the Heat Treatment of Tool Steels: Shepherd, G. N. ..... 2(3) 217–224
Application of Instrumentation to Achieve Precision in Carburizing: Koebel, K. ..... 1(2) 23–29
Arai, T.: Carbide Coating Process by Use of Molten Borax in Japan ..... 1(2) 15–22
Ashida, Y.: Strengthening and Toughening of Cr-Ni-Mn-V Austenitic Hot Work Tool Steels ..... 2(4) 321–330
Azrin, M.: Fracture Toughness and Fatigue Properties of VASCO X-2 Steel Gear Materials ..... 2(4) 331–336

Bain, E. C.: Factors Affecting the Inherent Hardenability of Steel (Heat Treating Classic) ..... 1(2) 57–100
Basic Requirements for Reducing the Consumption of Carburizing Gases: Wyss, U., Hoffman, R., and Neumann, F. ..... 1(3) 14–23
Beck, G.: Relationship Between Quenching Process, Hardness Depth and Quench Defects in Steels ..... 1(3) 50–56
Bell, T.: The Fatigue Characteristics of Plasma Nitrided Three Pct Cr-Mo Steel ..... 2(3) 232–237
Bobart, G. F.: Innovative Induction Heat Treat Systems ..... 2(4) 351–358
Breen, D. H.: An Analytical Approach for Establishing Case Depth Requirements in Carburized Gears ..... 1(1) 48–57
Breitzig, R. W.: Future Alloys for High Temperature Heat Treating Equipment ..... 1(1) 81–86
Buck, R. M.: Influence of Sub-Zero and Shot-Peening Treatments on Impact and Fatigue Fracture Properties of Case-Hardened Steels ..... 2(1) 43–53

Calculation of the Equilibrium Composition of Blended Gases for Heat Treating Furnace: Stickels, C. A. ..... 1(1) 31–41
Carbide Coating Process by Use of Molten Borax Bath in Japan: Arai, Tohru ..... 1(2) 15–22
Carbonitriding at 1050° in a Glow-discharge Plasma: Grube, W. L. and Koistinen, D. P. ..... 2(3) 211–216
Carburization of a High-Manganese, Low C Steel by Methane Nitrogen Gas Mixtures: Nester, F., Rostoker, W., and Domagala, R. F. ..... 1(1) 58–63
Combustion Systems and Pressure Control—How to Tune Combustion Systems for Fuel Savings: Reed, R. J. ..... 1(1) 93–94
Corrections ..... 1(4) 72
Correlation of Measurements of Retained Austenite in Carburized Steels by X-Ray Diffraction and Quantitative Metallography: Eldis, G. T. ..... 1(3) 24–30

Dawes, C.: A Re-Appraisal of Nitrocarburising and Nitriding When Applied to the Design and Manufacture of Non-Alloy Steel Automobile Components ..... 1(2) 30–42
Development of Normalized and Tempered Al-B Treated 1¼Cr-½Mo Steel Plate, The: Watanabe, S., Furusawa, J., Nakanishi, M., and Ohtani, H. ..... 1(4) 61–67
Dhooge, A.: Reheat Cracking in Welded Structures During Stress Relief Heat Treatments ..... 1(1) 72–80
Diesburg, D. E.: Influence of Sub-Zero and Shot-Peening Treatments on Impact and Fatigue Fracture Properties of Case-Hardened Steels ..... 2(1) 43–53
Direct Atmosphere Generation and Control in Heat Treatment Furnaces: Goehring, W. and Luiten, C. H. ..... 1(4) 10–14
Doane, D.: Applicability of Hardenability Concepts in Heat Treatment of Steels ..... 1(1) 5–30
Domagala, R. F.: Carburization of a High-Manganese, Low C Steel by Methane Nitrogen Gas Mixtures ..... 1(1) 58–63

Effect of Composition on Distance to First Bainite in Carburized Steels: Eldis, G. T., and Smith, Y. E. ..... 2(1) 62–72
Effect of Phosphorous Content and Proeutectoid Carbide Distribution on the Fracture Behavior of 52100 Steel, The: Shen, F. S. and Krauss, G. ..... 2(3) 238–249
Effects of Phosphorus and Carbon on the Hardenability of 41XX Type Steels, The: Jacobs, F. A. and Krauss, G. ..... 2(2) 139–146
Eldis, G. T.: Correlation of Measurements of Retained Austenite in Carburized Steels by X-Ray Diffraction and Quantitative Metallography ..... 1(3) 24–30
Eldis, G. T.: Effect of Composition on Distance to First Bainite in Carburized Steels ..... 2(1) 62–72
Ericsson, T.: Residual Stresses in the Soft Pearlite Layer of Carburized Steel ..... 1(3) 3–13
Ericsson, T.: A Study of Reactions Occurring During the Carbonitriding Process ..... 2(1) 3–19
Evaluation of Gas Carburizing in a New Fluidized-Bed Furnace: Moore, J. J. and Storey, G. G. ..... 2(2) 113–120

Factors Affecting the Inherent Hardenability of Steel (Heat Treating Classic): Bain, E. C. ..... 1(2) 57–100
Farkas, Sz.: Plasma Nitriding Improves Service Behaviour of Textile Machine Components ..... 1(4) 15–20
Fatigue Characteristics of Plasma Nitrided Three Pct Cr-Mo Steel, The: Bell, T. and Loh, N. L. ..... 2(3) 232–237
Feasibility Study on Nitriding of Aluminum by Surface Melting, A: Hioki, S., Yamada, T., Hatano, K., and Ibaragi, Y. ..... 1(3) 65–72
Filep, E.: Plasma Nitriding Improves Service Behaviour of Textile Machine Components ..... 1(4) 15–20
Fournelle, R. A.: High Cycle Fatigue Resistance of AISI E9310 Carburized Steel with Two Different Levels of Surface Retained Austenite and Surface Residual Stress ..... 2(1) 54–61
Fracture Toughness and Fatigue Properties of VASCO X-2 Steel Gear Materials: Anctil, A. A., and Azrin, M. ..... 2(4) 331–336
Fuel Conservation in Industrial Heating: Hingwe, A. K. ..... 1(1) 42–47
Furusawa, J.: The Development of Normalized and Tempered Al-B Treated 1¼Cr-½Mo Steel Plate ..... 1(4) 61–67
Future Alloys for High Temperature Heat Treating Equipment: Breitzig, R. W. ..... 1(1) 81–86

Goehring, W.: Direct Atmosphere Generation and Control in Heat Treatment Furnaces ..... 1(4) 10–14
Gordon, P.: The Temper Colors on Steel ..... 1(1) 93
Grube, W. L.: Carbonitriding at 1050° in the Glow-discharge Plasma ..... 2(3) 211–216
Grube, W. L.: High-Rate Plasma Carburizing with Propane ..... 1(1) 95–97

Cumulative Author-Title Index

For: Vol. 1, Nos. 1, 2, 3, 4 (1979-1980)
Vol. 2, Nos. 1, 2, 3, 4 (1981-1982)

Abstracts of Heat Treating Literature—1980 ..... 2(2) 150–203
Abstracts of Heat Treating Literature—1981 ..... 2(3) 250–214
Abstracts of Heat Treating Literature, January–August, 1982 ..... 2(4) 375–422

Analytical Approach for Establishing Case Depth Requirements in Carburized Gears, An: Sharma, A. K., Walter, G. H., and Breen, D. H. ..... 1(1) 48–57
Anctil, A. A.: Fracture Toughness and Fatigue Properties of VASCO X-2 Steel Gear Materials ..... 2(4) 331–336
Annealing of Cold-Rolled Rephosphorized Steels Containing Si and Cb: Pradhan, R. R. ..... 2(1) 73–82
Applicability of Hardenability Concepts in Heat Treatment of Steels: Doane, D. ..... 1(1) 5–30
Applications of Fluidized Bed Furnaces for the Heat Treatment of Tool Steels: Shepherd, G. N. ..... 2(3) 217–224
Application of Instrumentation to Achieve Precision in Carburizing: Koebel, K. ..... 1(2) 23–29
Arai, T.: Carbide Coating Process by Use of Molten Borax in Japan ..... 1(2) 15–22
Ashida, Y.: Strengthening and Toughening of Cr-Ni-Mn-V Austenitic Hot Work Tool Steels ..... 2(4) 321–330
Azrin, M.: Fracture Toughness and Fatigue Properties of VASCO X-2 Steel Gear Materials ..... 2(4) 331–336

Bain, E. C.: Factors Affecting the Inherent Hardenability of Steel (Heat Treating Classic) ..... 1(2) 57–100
Basic Requirements for Reducing the Consumption of Carburizing Gases: Wyss, U., Hoffman, R., and Neumann, F. ..... 1(3) 14–23
Beck, G.: Relationship Between Quenching Process, Hardness Depth and Quench Defects in Steels ..... 1(3) 50–56
Bell, T.: The Fatigue Characteristics of Plasma Nitrided Three Pct Cr-Mo Steel ..... 2(3) 232–237
Bobart, G. F.: Innovative Induction Heat Treat Systems ..... 2(4) 351–358
Breen, D. H.: An Analytical Approach for Establishing Case Depth Requirements in Carburized Gears ..... 1(1) 48–57
Breitzig, R. W.: Future Alloys for High Temperature Heat Treating Equipment ..... 1(1) 81–86
Buck, R. M.: Influence of Sub-Zero and Shot-Peening Treatments on Impact and Fatigue Fracture Properties of Case-Hardened Steels ..... 2(1) 43–53

Calculation of the Equilibrium Composition of Blended Gases for Heat Treating Furnace: Stickels, C. A. ..... 1(1) 31–41
Carbide Coating Process by Use of Molten Borax Bath in Japan: Arai, Tohru ..... 1(2) 15–22
Carbonitriding at 1050° in a Glow-discharge Plasma: Grube, W. L. and Koistinen, D. P. ..... 2(3) 211–216
Carburization of a High-Manganese, Low C Steel by Methane Nitrogen Gas Mixtures: Nester, F., Rostoker, W., and Domagala, R. F. ..... 1(1) 58–63
Combustion Systems and Pressure Control—How to Tune Combustion Systems for Fuel Savings: Reed, R. J. ..... 1(1) 93–94
Corrections ..... 1(4) 72
Correlation of Measurements of Retained Austenite in Carburized Steels by X-Ray Diffraction and Quantitative Metallography: Eldis, G. T. ..... 1(3) 24–30

Dawes, C.: A Re-Appraisal of Nitrocarburising and Nitriding When Applied to the Design and Manufacture of Non-Alloy Steel Automobile Components ..... 1(2) 30–42
Development of Normalized and Tempered Al-B Treated 1¼Cr-½Mo Steel Plate, The: Watanabe, S., Furusawa, J., Nakanishi, M., and Ohtani, H. ..... 1(4) 61–67
Dhooge, A.: Reheat Cracking in Welded Structures During Stress Relief Heat Treatments ..... 1(1) 72–80
Diesburg, D. E.: Influence of Sub-Zero and Shot-Peening Treatments on Impact and Fatigue Fracture Properties of Case-Hardened Steels ..... 2(1) 43–53
Direct Atmosphere Generation and Control in Heat Treatment Furnaces: Goehring, W. and Luiten, C. H. ..... 1(4) 10–14
Doane, D.: Applicability of Hardenability Concepts in Heat Treatment of Steels ..... 1(1) 5–30
Domagala, R. F.: Carburization of a High-Manganese, Low C Steel by Methane Nitrogen Gas Mixtures ..... 1(1) 58–63

Effect of Composition on Distance to First Bainite in Carburized Steels: Eldis, G. T., and Smith, Y. E. ..... 2(1) 62–72
Effect of Phosphorous Content and Proeutectoid Carbide Distribution on the Fracture Behavior of 52100 Steel, The: Shen, F. S. and Krauss, G. ..... 2(3) 238–249
Effects of Phosphorus and Carbon on the Hardenability of 41XX Type Steels, The: Jacobs, F. A. and Krauss, G. ..... 2(2) 139–146
Eldis, G. T.: Correlation of Measurements of Retained Austenite in Carburized Steels by X-Ray Diffraction and Quantitative Metallography ..... 1(3) 24–30
Eldis, G. T.: Effect of Composition on Distance to First Bainite in Carburized Steels ..... 2(1) 62–72
Ericsson, T.: Residual Stresses in the Soft Pearlite Layer of Carburized Steel ..... 1(3) 3–13
Ericsson, T.: A Study of Reactions Occurring During the Carbonitriding Process ..... 2(1) 3–19
Evaluation of Gas Carburizing in a New Fluidized-Bed Furnace: Moore, J. J. and Storey, G. G. ..... 2(2) 113–120

Factors Affecting the Inherent Hardenability of Steel (Heat Treating Classic): Bain, E. C. ..... 1(2) 57–100
Farkas, Sz.: Plasma Nitriding Improves Service Behaviour of Textile Machine Components ..... 1(4) 15–20
Fatigue Characteristics of Plasma Nitrided Three Pct Cr-Mo Steel, The: Bell, T. and Loh, N. L. ..... 2(3) 232–237
Feasibility Study on Nitriding of Aluminum by Surface Melting, A: Hioki, S., Yamada, T., Hatano, K., and Ibaragi, Y. ..... 1(3) 65–72
Filep, E.: Plasma Nitriding Improves Service Behaviour of Textile Machine Components ..... 1(4) 15–20
Fournelle, R. A.: High Cycle Fatigue Resistance of AISI E9310 Carburized Steel with Two Different Levels of Surface Retained Austenite and Surface Residual Stress ..... 2(1) 54–61
Fracture Toughness and Fatigue Properties of VASCO X-2 Steel Gear Materials: Anctil, A. A., and Azrin, M. ..... 2(4) 331–336
Fuel Conservation in Industrial Heating: Hingwe, A. K. ..... 1(1) 42–47
Furusawa, J.: The Development of Normalized and Tempered Al-B Treated 1¼Cr-½Mo Steel Plate ..... 1(4) 61–67
Future Alloys for High Temperature Heat Treating Equipment: Breitzig, R. W. ..... 1(1) 81–86

Goehring, W.: Direct Atmosphere Generation and Control in Heat Treatment Furnaces ..... 1(4) 10–14
Gordon, P.: The Temper Colors on Steel ..... 1(1) 93
Grube, W. L.: Carbonitriding at 1050° in the Glow-discharge Plasma ..... 2(3) 211–216
Grube, W. L.: High-Rate Plasma Carburizing with Propane ..... 1(1) 95–97

Grube, W. L.: Progress in Plasma Carburizing ..... *1*(3) 40–49
Guimier, A.: Heat Treating Processes with Nitrogen and Methanol-Based Atmospheres ..... 2(1) 35–42

Hardenabilities of Vanadium-Modified 4330 Low Alloy Constructional Steels: Mangonon, P. L. ..... *1*(4) 47–60
Hatano, K.: A Feasibility Study on Nitriding of Aluminum by Surface Melting ..... *1*(3) 65–72
Hato, H.: Strengthening and Toughening of Cr-Ni-Mn-V Austenitic Hot Work Tool Steels ..... 2(4) 321–330
Heat Treating Classic: Factors Affecting the Inherent Hardenability of Steel: Bain, E. C. ..... *1*(2) 57–100
Heat Treating Definitions Recommended by the International Federation for the Heat Treatment of Materials: International Federation for the Heat Treatment of Materials—Terminology Technical Committee ..... *1*(4) 68–70
Heat Treating Processes with Nitrogen and Methanol-Based Atmospheres: Kostelitz, M., Pavee, C., and Guimier, A. ..... 2(1) 35–42
Heat Treatment of the Commercial Aluminum Alloy 7075, The: Koch, G. H. and Kolijn, D. T. ..... 1(2) 3–14
High Cycle Fatigue Resistance of AISI E9310 Carburized Steel with Two Different Levels of Surface Retained Austenite and Surface Residual Stress: Panhans, M. A., and Fournelle, R. A. ..... 2(1) 54–61
High-Rate Plasma Carburizing with Prophane ..... *1*(1) 95–97
High Volume Gas Carburizing Furnace: Advanced Design and Practical Results: Montevecchi, I. ..... *1*(4) 3–9
Hildenwall, B.: Residual Stresses in the Soft Pearlite Layer of Carburized Steel ..... *1*(3) 3–13
Hingwe, A. K.: Fuel Conservation in Industrial Heating ..... *1*(1) 42–47
Hioki, S.: A Feasibility Study on Nitriding of Aluminum by Surface Melting ..... *1*(3) 65–72
Hoffman, R.: Basic Requirements for Reducing the Consumption of Carburizing Gases ..... *1*(3) 14–23

Ibaragi, Y.: A Feasibility Study on Nitriding of Aluminum by Surface Melting ..... *1*(3) 65–72
Influence of Sub-Zero and Shot-Peening Treatments on Impact and Fatigue Fracture Properties of Case-Hardened Steels: Kim, C., Diesburg, D. E., and Buck, R. M. ..... 2(1) 43–53
Innovative Induction Heat Treat Systems: Bobart, G. F. ..... 2(4) 351–358
International Federation for the Heat Treatment of Materials—Terminology Technical Committee: Heat Treating Definitions Recommended by the International Federation for the Heat Treatment of Materials ..... *1*(4) 68–70
International System of Units for Journal of Heat Treating, The (Notice) ..... *1*(1) 99–102

Jiang, Z.-S.: Structure of Boride Layers and the Transition Zone Produced by Boronization ..... 2(4) 337–343
Jones, K. D.: Microstructure Fatigue of Partial Pressure Carburized SAE 8620 and EX 24 Steels ..... *1*(1) 64–71
Juhua, Z.: Microstructure Mechanical Properties and Heat Treatment of New Matrix Steel 65Cr4W3Mo2VNb with High Strength and Toughness ..... *1*(4) 37–46

Kaspersma, J. H.: A Model for Carbon Transfer in Gas-Phase Carburization of Steel ..... *1*(4) 21–28
Kawahara, S.: Strengthening and Toughening of Cr-Ni-Mn-V Austenitic Hot Work Tool Steels ..... 2(4) 321–330
Kim, C.: Influence of Sub-Zero and Shot-Peening Treatments on Impacet and Fatigue Fracture Properties of Case-Hardened Steels ..... 2(1) 43–53
Kim, C.: X-Ray Method of Measuring Retained Austenite in Heat Treated White Cast Irons ..... *1*(2) 43–51
Koch, G. H.: The Heat Treatment of the Commercial Aluminum Alloy 7075 ..... *1*(2) 3–14
Koebel, N. K.: Application of Instrumentation to Achieve Precision Carburizing ..... *1*(2) 23–29
Koistinen, D. P.: Carbonitriding at 1050° in a Glow-discharge Plasma ..... 2(3) 211–216
Kolijn, D. T.: The Heat Treatment of the Commercial Aluminum Alloy 7075 ..... *1*(2) 3–14
Kolozsvary, Z.: Plasma Nitriding Improves Service Behaviour of Textile Machine Components ..... *1*(4) 15–20
Komatsubara, N.: Prediction of Hardenability Effects from Isothermal Transformation Kinetics ..... *1*(3) 57–64
Kostelitz, M.: Heat Treating Processes with Nitrogen and Methanol-Based Atmospheres ..... 2(1) 35–42
Krauss, G.: The Effect of Phosphorous Content and Proeutectoid Carbide Distribution on the Fracture Behavior of 52100 Steel ..... 2(3) 238–249
Krauss, G.: Microstructure Fatigue of Partial Pressure Carburized SAE 8620 and EX 24 Steels ..... *1*(1) 64–71
Krauss, G.: Recrystallization of 70 Pct Cu-30 Pct Zn Brass by Laser Irradiation and Furnace Heating ..... 2(1) 83–92
Krauss, G.: Toughness and Intergranular Fracture of a Simulated Carburized Case in EX-24 Type Steel ..... *1*(3) 31–39
Kun, C.: Microstructure Mechanical Properties and Heat Treatment of New Matrix Steel 64Cr4W3Mo2VNb with High Strength and Toughness ..... *1*(4) 37–46

Letters to the Editor ..... *1*(4) 71
Li, L.-X.: Structure of Boride Layers and the Transition Zone Produced by Boronization ..... 2(4) 337–343
Li, T.-F.: Structure of Boride Layers and the Transition Zone Produced by Boronization ..... 2(4) 337–343
Loh, N. L.: The Fatigue Characteristics of Plasma Nitrided Three Pct Cr-Mo Steel ..... 2(3) 232–237
Lulten, C. H.: Direct Atmosphere Generation and Control in Heat Treatment Furnaces ..... *1*(4) 10–14

Mangonon, P. L.: Hardenabilities of Vanadium-Modified 4330 Low Alloy Constructional Steels ..... *1*(4) 47–60
Mehta, D. A.: Recrystallization of 70 Pct Cu-30 Pct Zn Brass by Laser Irradiation and Furnace Heating ..... 2(1) 83–92
Message from the Editor: Krauss, G. ..... 2(3) 209
Method for Predicting the Critical Cooling Rate to Prevent Sensitization, A: Srinivasan, S. R. ..... *1*(1) 87–92
Microstructure Fatigue of Partial Pressure Carburized SAE 8620 and EX Steels: Jones, K. D. and Krauss, G. ..... *1*(1) 64–71
Microstructure Mechanical Properties and Heat Treatment of New Matrix Steel 65Cr4W3Mo2VNb with High Strength and Toughness: Kun, C., Zhenhua, H., and Juhua, Z. ..... *1*(4) 37–46
Model for Carbon Transfer in Gas-Phase Carburization of Steel, A: Kaspersma, J. H. and Shay, R. H. ..... *1*(4) 21–28
Montevecchi, I.: High Volume Gas Carburizing Furnace: Advanced Design and Practical Results ..... *1*(4) 3–9
Moreaux, F.: Relationship Between Quenching Process, Hardness Depth and Quench Defects in Steels ..... *1*(3) 50–56

Nakanishi, M.: The Development of Normalized and Tempered Al-B Treated 1¼Cr-½Mo Steel Plate ..... *1*(4) 61–67
Nester, F.: Carburization of a High-Manganese, Low C Steel by Methane Nitrogen Gas Mixtures ..... *1*(1) 58–63
Neumann, F.: Basic Requirements for Reducing the Consumption of Carburizing Gases ..... *1*(3) 14–23
Notice: The International System of Units for Journal of Heat Treating ..... *1*(1) 99–102

Obermeyer, H. K.: Toughness and Intergranular Fracture of a Simulated Carburized Case in EX-24 Type Steel ..... *1*(3) 31–39
Ohtani, H.: The Development of Normalized and Tempered Al-B Treated 1¼Cr-½Mo Steel Plate ..... *1*(4) 61–67

Panhans, M. A.: High Cycle Fatigue Resistance of AISI E9310 Carburized Steel with Two Different Levels of Surface Retained Austenite and Surface Residual Stress ... 2(1) 54–61
Pavee, C.: Heat Treating Processes with Nitrogen and Methanol-Based Atmospheres ..... 2(1) 35–42
Pei, X.-R.: Structure of Boride Layers and the Transition Zone Produced by Boronization ..... 2(4) 337–343
Plasma Nitriding Improves Service Behaviour of Textile Machine Components: Farkas, Sz., Filep, E., and Kolozsvary, Z. ..... *1*(4) 15–20
Practical Approach to Carburizing Process Determination, A: Williams, M. E. ..... 2(1) 28–34
Practical Aspects of the Importance of Heat Treating Terminology: Tyrkiel, Eugeniusz ..... *1*(2) 52–54
Pradhan, R. R.: Annealing of Cold-Rolled Rephosphorized Steels Containing Si and Cb ..... 2(1) 73–82
Prediction of Hardenability Effects from Isothermal Transformation Kinetics: Umemoto, M., Komatsubara, N., and Tamura, I. ..... *1*(3) 57–64
Prediction of Hardenability from Isothermal Transformation Diagrams: Umemoto, M., Nishioka, N., and Tamura, I. ..... 2(2) 130–138
Preliminary Investigation of Surface Hardening of Steel and Iron by Solar Energy, A: Yu, Z.-K., Zong, Q.-Y., and Tam, Z.-T. ..... 2(4) 344–343
Prevention of Decarburization in Annealing of High Carbon Steel: Purkert, F. E. ..... 2(3) 225–231
Progress in Plasma Carburizing: Grube, W. L. ..... *1*(3) 40–49
Purkert, F.E.: Prevention of Decarburization in Annealing of High Carbon Steel ..... 2(3) 225–231
Re-Appraisal of Nitrocarburizing and Nitriding When Applied to the Design and Manufacture of Non-Alloy Steel Automobile Components, A: Dawes, C., Tranter, D. F., and Smith, C. G. . *1*(2) 30–42
Recrystallization of 70 Pct Cu-30 Pct Zn Brass by Laser Irradiation and Furnace Heating: Mehta, D. A. and Krauss, G. ..... 2(1) 83–92
Reed, R. J.: Combustion Systems and Pressure Control—How to Tune Combustion Systems for Fuel Savings ..... *1*(1) 93–94
Reheat Cracking in Welded Structures During Stress Relief Heat Treatments: Dhooge, A. and Vinckier, A. G. ..... *1*(1) 72–80
Relationship Between Quenching Process, Hardness Depth and Quench Defects in Steels: Moreaux, F., Simon, A., and Beck, G. ..... *1*(3) 50–56
Residual Stress and Microstructure in Quenched and Tempered and Hot Oil Quenched Carburized Gears: Shea, M. M. ..... *1*(4) 29–36
Residual Stresses in the Soft Pearlite Layer of Carburized Steel: Hildenwall, B. and Ericsson, T. ..... *1*(3) 3–13
Role of a Vacuum Furnace in Heat Treating Coated Tool Steels, The: Vagle, M. ..... 2(2) 121–129
Rostoker, W.: Carburization of a High-Manganese, Low C Steel by Methane Nitrogen Gas Mixtures ..... *1*(1) 58–63

Schlict, H.: Varying Heat Treatment Parameters to Optimize Materials and Rolling Contact Fatigue Strength ..... *1*(3) 73–80
Seki, Y.: Strengthening and Toughening of Cr-Ni-Mn-V Austenitic Hot Work Tool Steels ..... 2(4) 321–330
Sharma, A. K.: An Analytical Approach for Establishing Case Depth Requirements in Carburized Gears ..... *1*(1) 48–57
Shay, R. H.: A Model for Carbon Transfer in Gas-Phase Carburization of Steel ..... *1*(4) 21–28
Shea, M. M.: Residual Stress and Microstructure in Quenched and Tempered and Hot Oil Quenched Carburized Gears .... *1*(4) 29–36
Shen, F. S.: The Effect of Phosphorous Content and Proeutectoid Carbide Distribution on the Fracture Behavior of 52100 Steel ..... 2(3) 238–249
Shepherd, G. N.: Applications of Fluidized Bed Furnaces for the Heat Treatment of Tool Steels ..... 2(3) 217–224
Simon, A.: Relationship Between Quenching Process, Hardness Depth and Quench Defects in Steels ..... *1*(3) 50–56
Slycke, J.: A Study of Reactions Occurring During the Carbonitriding Process ..... 2(1) 3–19
Smith, C. G.: A Re-Appraisal of Nitrocarburising and Nitriding When Applied to the Design and Manufacture of Non-Alloy Steel Automobile Components ..... *1*(2) 30–42
Smith, Y. E.: Effect of Composition on Distance to First Bainite in Carburized Steels ..... 2(1) 62–72
Srinivasan, S. R.: A Method for Predicting the Critical Cooling Rate to Prevent Sensitization ..... *1*(1) 87–92
Stickels, C. A.: Calculation of the Equilibrium Composition of Blended Gases for Heat Treating Furnace Atmospheres .... *1*(1) 31–41
Stickels, C. A.: Strategies for Efficient Operation of Furnaces Using Nitrogen-Base Atmospheres ..... 2(4) 359–371
Stickels, C. A.: Thermochemistry of Exothermic Gas Atmospheres ..... 2(1) 20–27
Strategies for Efficient Operation of Furnaces Using Nitrogen-Base Atmospheres: Stickels, C. A. ..... 2(4) 359–371
Strengthening and Toughening of Cr-Ni-Mn-V Austenitic Hot Work Tool Steels: Seki, Y., Hato, H., Ashida, Y., Katsumi, T., and Kawahara, S. ..... 2(4) 321–330
Structure of Boride Layers and the Transition Zone Produced by Boronization: Jiang, Z., Zhang, L., Li, L., Pei, Z., and Li, T. ..... 2(4) 337–343
Study of Reactions Occurring During the Carbonitriding Process, Part II, A: Slycke, J. and Ericsson, T. ..... 2(2) 97–112
Study of Reactions Occurring During the Carbonitriding Process, A: Slycke, J. and Ericsson, T. ..... 2(1) 3–19

Tam, Z.-T.: A Preliminary Investigation of Surface Hardening of Steel and Iron by Solar Energy ..... 2(4) 344–350
Tamura, I.: Prediction of Hardenability Effects from Isothermal Transformation Kinetics ..... *1*(3) 57–64
Temper Colors on Steel, The: Gordon, P. ..... *1*(1) 93
Thermochemistry of Exothermic Gas Atmospheres: Stickels, C. A. ..... 2(1) 20–27
Toughness and Intergranular Fracture of a Simulated Carburized Case in EX-24 Type Steel: Obermeyer, H. K., and Krauss, G. *1*(3) 31–39
Tranter, D. F.: A Re-Appraisal of Nitrocarburising and Nitriding When Applied to the Design and Manufacture of Non-Alloy Steel Automobile Components ..... *1*(2) 30–42
Tsuji, K.: Strengthening and Toughening of Cr-Ni-Mn-V Austenitic Hot Work Tool Steels ..... 2(4) 321–330
Tyrkiel, Eugeniusz: Practiced Aspects of the Importance of Heat Treating Terminology ..... *1*(2) 52–54

Umemoto, M.: Prediction of Hardenability Effects from Isothermal Transformation Kinetics ..... *1*(3) 57–64

Varying Heat Treatment Parameters to Optimize Material and Rolling Contact Fatigue Strength: Schlict, H. and Zwirlein, O. *1*(3) 73–80
Vinckier, A. G.: Reheat Cracking in Welded Structures During Stress Relief Heat Treatments ..... *1*(1) 72–80

Walter, G. H.: An Analytical Approach for Establishing Case Depth Requirements in Carburized Gears ..... *1*(1) 48–57
Watanabe, S.: The Development of Normalized and Tempered Al-B Treated 1¼Cr-½Mo Steel Plate ..... *1*(4) 61–67
Williams, M. E.: A Practical Approach to Carburizing Process Determination ..... 2(1) 28–34
Wyss, U.: Basic Requirements for Reducing the Consumption of Carburizing Gases ..... *1*(3) 14–23

X-Ray Determination of Retained Austenite: Banerjee, R. L. .. 2(2) 147–149
X-Ray Method of Measuring Retained Austenite in Heat Treated White Cast Irons: Kim, C. ..... *1*(2) 43–51

Yamada, T.: A Feasibility Study on Nitriding of Aluminum by Surface Melting ..... *1*(3) 65–72
Yu, Z.-K. (Yee, C.-F.): A Preliminary Investigation of Surface Hardening of Steel and Iron by Solar Energy ..... 2(4) 344–350

Zhang, L.-X.: Structure of Boride Layers and the Transition Zone Produced by Boronization ..... 2(4) 337–343
Zhenhua, H.: Microstructure Mechanical Properties and Heat Treatment of New Matrix Steel 65Cr4W3Mo2VNb with High Strength and Toughness ..... *1*(4) 37–46
Zong, Q.-Y.: A Preliminary Investigation of Surface Hardening of Steel and Iron by Solar Energy ..... 2(4) 344–350
Zwirlein, O.: Varying Heat Treatment Parameters to Optimize Material and Rolling Contact Fatigue Strength ..... *1*(3) 73–80